

IECEx Certificate of Conformity

INTERNATIONAL ELECTROTECHNICAL COMMISSION **IEC Certification System for Explosive Atmospheres**

for rules and details of the IECEx Scheme visit www.iecex.com

Certificate No.:

IECEx FTZU 16.0005

Page 1 of 4

Certificate history:

Status:

Issue No: 2

Issue 1 (2020-11-11) Issue 0 (2016-02-29)

Date of Issue:

Current

2023-12-07

Applicant:

Huisman Czech Republic s.r.o.

Nádražní 289 Sviadnov 739 25 Czech Republic

Equipment:

Sensor type Load Measuring Pin Ex

Optional accessory:

Type of Protection:

Intrinsic safety

Marking:

Ex ib IIB T4 Gb

Approved for issue on behalf of the IECEx Certification Body:

Position:

Signature: (for printed version)

(for printed version)

Dlpl. Ing. Lukáš Martinák

Head of the Certification Body



This certificate and schedule may only be reproduced in full.

This certificate is not transferable and remains the property of the issuing body.
The Status and authenticity of this certificate may be verified by visiting www.iecex.com or use of this QR Code.

Certificate issued by:

Fyzikalne technicky zkusebni ustav (Physical -Technical Testing Institute) Pikartska 7, 71607 Ostrava - Radvanice Czech Republic





IECEx Certificate of Conformity

Certificate No.:

IECEx FTZU 16.0005

Page 2 of 4

Date of issue:

2023-12-07

Issue No: 2

Manufacturer:

Huisman Czech Republic s.r.o.

Nádražní 289 Sviadnov 739 25 Czech Republic

Manufacturing locations:

This certificate is issued as verification that a sample(s), representative of production, was assessed and tested and found to comply with the IEC Standard list below and that the manufacturer's quality system, relating to the Ex products covered by this certificate, was assessed and found to comply with the IECEx Quality system requirements. This certificate is granted subject to the conditions as set out in IECEx Scheme Rules, IECEx 02 and Operational Documents as amended

STANDARDS:

The equipment and any acceptable variations to it specified in the schedule of this certificate and the identified documents, was found to comply with the following standards

IEC 60079-0:2017

Explosive atmospheres - Part 0: Equipment - General requirements

Edition:7.0

IEC 60079-11:2011

Explosive atmospheres - Part 11: Equipment protection by intrinsic safety "i"

Edition:6.0

This Certificate **does not** indicate compliance with safety and performance requirements other than those expressly included in the Standards listed above.

TEST & ASSESSMENT REPORTS:

A sample(s) of the equipment listed has successfully met the examination and test requirements as recorded in:

Test Reports:

CZ/FTZU/ExTR16.0005/00

CZ/FTZU/ExTR16.0005/01

CZ/FTZU/ExTR16.0005/02

Quality Assessment Report:

CZ/FTZU/QAR20.0007/03





IECEx Certificate of Conformity

Certificate No.:

IECEx FTZU 16.0005

Page 3 of 4

Date of issue:

2023-12-07

Issue No: 2

EQUIPMENT:

Equipment and systems covered by this Certificate are as follows:

The equipment is a sensor type Load Measuring Pin Ex. The equipment can be in variant LMP Ex Single Output or LMP Ex Dual Output. The equipment comprises a stainless steel cylindrical body and one connector. Inside there are one (Single Output) or two (Dual Output) PCBs connected to electronic circuits with strain gauges.

The equipment can be connected out of hazardous area to non-intrinsic safe circuits for configuration purposes which fulfil the requirements of the clause 16.2.1 of the standard IEC 60079-14:2013.

Parameters:

Degree of protection: IP 66

Ambient temperature: -30 to +60°C

Intrinsic safety parameters: Ui = 28.3 V, Ii = 93 mA, Pi = 651 mW, Li = 0, Ci = 593 nF

Voltage for connection out of hazardous area: Um = 4.2V

For Instructions see document LMP-07-A-X0000943-66-130

SPECIFIC CONDITIONS OF USE: NO





IECEx Certificate of Conformity

Certificate No.:

IECEx FTZU 16.0005

Page 4 of 4

Date of issue:

2023-12-07

Issue No: 2

DETAILS OF CERTIFICATE CHANGES (for issues 1 and above)

Manufacturer/Applicant name has changed from Huisman Konstrukce, s.r.o. to the Huisman Czech Republic s.r.o.

